

## Adamo 2003



12 wks cold; in grnhse 23 Dec. (3237)



14 wks cold; in grnhse 13 Jan. (3393)



16 wks cold; in grnhse 27 Jan. (3450)



16 wks cold; in grnhse 17 Feb(3603)24 wks cold; in grnhse 21 Apr. (6212)Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Adamo' tulips. Cold weeksvary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonziapplied as a soil drench 1-2 days after placing in the greenhouse. 2003.



17 wks cold; in grnhse 3 Mar. (3729)



19 wks cold; in grnhse 17 Mar. (4025)



21 wks cold; in grnhse 31 Mar. (4802)





## Adamo 2004



N/A 12 wks cold; in grnhse 15 Dec. (xxx)



14 wks cold; in grnhse 5 Jan. (1279)



15 wks cold; in grnhse 19 Jan. (0010)



17 wks cold; in grnhse 2 Feb (0255) Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Adamo' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.

16 wks cold; in grnhse 23 Feb. (0726)



18 wks cold; in grnhse 8 Mar. (1029)

20 wks cold; in grnhse 22 Mar. (xxx)



22 wks cold; in grnhse 12 Apr. (1497)



Adamo 2005



12 wks cold; in grnhse 20 Dec. (9324)



14 wks cold; in grnhse 10 Jan. (9471)



15 wks cold; in grnhse 25 Jan. (9556)



16 wks cold; in grnhse 14 Feb (9772)23 wks cold; in grnhse 11 Apr. (0263)Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Adamo'tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control,1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.



17 wks cold; in grnhse 28 Feb. (9865)

N/A 19 wks cold; in grnhse 14 Mar. (xxx)

N/A 21 wks cold; in grnhse 28 Mar. (xxx)

