

All Seasons 2002



14 wks cold; in grnhse 21 Jan. (9364)



19 wks cold; in grnhse 18 Mar. (9700)



21 wks cold; in grnhse 1 Apr. (9988)

N/A

15 wks cold; in grnhse 4 Feb.



16 wks cold; in grnhse 18 Feb. (9766)



23 wks cold; in grnhse 15 Apr. (9963)



17 wks cold; in grnhse 4 Mar (9269)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'All Seasons' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.

All Seasons 2003



12 wks cold; in grnhse 23 Dec. (3135)



17 wks cold; in grnhse 3 Mar. (3715)



14 wks cold; in grnhse 13 Jan. (3228)



19 wks cold; in grnhse 17 Mar. (3858)



16 wks cold; in grnhse 27 Jan. (3398)



21 wks cold; in grnhse 31 Mar. (4515)



16 wks cold; in grnhse 17 Feb(3612)



24 wks cold; in grnhse 21 Apr. (6207)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'All Seasons' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

All Seasons 2004



12 wks cold; in grnhse 15 Dec. (0001)



16 wks cold; in grnhse 23 Feb. (0724)



14 wks cold; in grnhse 5 Jan. (0220)



18 wks cold; in grnhse 8 Mar. (1015)



15 wks cold; in grnhse 19 Jan. (1518)



20 wks cold; in grnhse 22 Mar. (xxx)

N/A

17 wks cold; in grnhse 2 Feb (xxx)



22 wks cold; in grnhse 12 Apr. (1482)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'All Seasons' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.

All Seasons 2005



12 wks cold; in grnhse 20 Dec. (9308)



17 wks cold; in grnhse 28 Feb. (9835)



14 wks cold; in grnhse 10 Jan. (9376)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9497)

N/A

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9760)



23 wks cold; in grnhse 11 Apr. (0238)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'All Seasons' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.

All Seasons 2006



13 wks cold; in grnhse 26 Dec. (0250)



17 wks cold; in grnhse 27 Feb. (2103)



14 wks cold; in grnhse 9 Jan. (0376)



19 wks cold; in grnhse 13 Mar. (2370)



15 wks cold; in grnhse 23 Jan. (0590)

N/A

21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1612)



23 wks cold; in grnhse 10 Apr. (2976)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'All Seasons' tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.

All Seasons 2007



14 wks cold; in grnhse 2 Jan. (0034)



17 wks cold; in grnhse 26 Feb. (0343)



15 wks cold; in grnhse 15 Jan. (0065)



19 wks cold; in grnhse 12 Mar. (xxx)



16 wks cold; in grnhse 29 Jan. (0156)

N/A

21 wks cold; in grnhse 26 Mar. (xxx)



17 wks cold; in grnhse 12 Feb (0218)

23 wks cold; in grnhse 16 Apr. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'All Seasons' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 4-6 days after placing in the greenhouse.

All Seasons 2008



14.5 wks cold; in grnhse 7 Jan. (0005)



19 wks cold; in grnhse 11 Mar. (0702)



16 wks cold; in grnhse 22 Jan. (0073)



21 wks cold; in grnhse 25 Mar. (0757)



17 wks cold; in grnhse 5 Feb Jan. (0320)



23 wks cold; in grnhse 16 Mar. (0788)



18 wks cold; in grnhse 26 Feb. (0663)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'All Seasons' tulips. Cold duration varies between panels from 14.5-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench (2-7 days after placing in the greenhouse, depending on growth).