

American Embassy 2006



13 wks cold; in grnhse 26 Dec. (0256)



17 wks cold; in grnhse 27 Feb. (1949)



14 wks cold; in grnhse 9 Jan. (0258)



19 wks cold; in grnhse 13 Mar. (2251)



15 wks cold; in grnhse 23 Jan. (0565)

N/A

21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1490)

N/A

23 wks cold; in grnhse 10 Apr. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'American Embassy' tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.

American Embassy 2007

N/A

14 wks cold; in grnhse 2 Jan. (xxx)



17 wks cold; in grnhse 26 Feb. (0273)

N/A

15 wks cold; in grnhse 15 Jan. (xxx)



19 wks cold; in grnhse 12 Mar. (0381)

N/A

16 wks cold; in grnhse 29 Jan. (xx)



21 wks cold; in grnhse 26 Mar. (0857)



17 wks cold; in grnhse 12 Feb (0213)

N/A

23 wks cold; in grnhse 16 Apr. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'American Embassy' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 4-6 days after placing in the greenhouse.

American Embassy 2008

N/A

14.5 wks cold; in grnhse 7 Jan. (xxx)



19 wks cold; in grnhse 11 Mar. (0651)



16 wks cold; in grnhse 22 Jan. (0036)

N/A

21 wks cold; in grnhse 25 Mar. (xxx)



17 wks cold; in grnhse 5 Feb Jan. (0145)



23 wks cold; in grnhse 16 Mar. (0785)

N/A

18 wks cold; in grnhse 26 Feb. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'American Embassy' tulips. Cold duration varies between panels from 14.5-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench (2-7 days after placing in the greenhouse, depending on growth).