

Bel Air 2005



12 wks cold; in grnhse 20 Dec. (9335)



17 wks cold; in grnhse 28 Feb. (9860)



14 wks cold; in grnhse 10 Jan. (9520)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9555)

N/A

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9773)



23 wks cold; in grnhse 11 Apr. (9647)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Bell Air' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.

Bel Air 2006



13 wks cold; in grnhse 26 Dec. (0363)



17 wks cold; in grnhse 27 Feb. (2137)



14 wks cold; in grnhse 9 Jan. (0546)



19 wks cold; in grnhse 13 Mar. (2434)



15 wks cold; in grnhse 23 Jan. (0774)

N/A
21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1781)



23 wks cold; in grnhse 10 Apr. (3006)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6” ‘Bel Air’ tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.

Bel Air 2007



14 wks cold; in grnhse 2 Jan. (0069)



17 wks cold; in grnhse 26 Feb. (0344)



15 wks cold; in grnhse 15 Jan. (0123)



19 wks cold; in grnhse 12 Mar. (0421)



16 wks cold; in grnhse 29 Jan. (0202)



21 wks cold; in grnhse 26 Mar. (1330)



17 wks cold; in grnhse 12 Feb (0249)

23 wks cold; in grnhse 16 Apr. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Bell Air' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 4-6 days after placing in the greenhouse.