

**Blumex 2004**



12 wks cold; in grnhse 15 Dec. (1219)

N/A

16 wks cold; in grnhse 23 Feb. (xxx)

N/A

14 wks cold; in grnhse 5 Jan. (xxx)

N/A

18 wks cold; in grnhse 8 Mar. (xxx)



15 wks cold; in grnhse 19 Jan. (0009)

20 wks cold; in grnhse 22 Mar. (xxx)

N/A

17 wks cold; in grnhse 2 Feb (xxx)



22 wks cold; in grnhse 12 Apr. (1493)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Blumex' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.

Blumex 2005



12 wks cold; in grnhse 20 Dec. (9468)



17 wks cold; in grnhse 28 Feb. (9908)



14 wks cold; in grnhse 10 Jan. (9561)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9604)

N/A

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9790)



23 wks cold; in grnhse 11 Apr. (9648)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Blumex' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.

Blumex 2008



14.5 wks cold; in grnhse 7 Jan. (0064)



19 wks cold; in grnhse 11 Mar. (0713)



16 wks cold; in grnhse 22 Jan. (0116)

N/A

21 wks cold; in grnhse 25 Mar. (xxx)



17 wks cold; in grnhse 5 Feb Jan. (0439)



23 wks cold; in grnhse 16 Mar. (0799)

N/A

18 wks cold; in grnhse 26 Feb. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Blumex' tulips. Cold duration varies between panels from 14.5-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench (2-7 days after placing in the greenhouse, depending on growth).