

Calgary 2002



14 wks cold; in grnhse 21 Jan. (9412)



19 wks cold; in grnhse 18 Mar. (9701)



21 wks cold; in grnhse 1 Apr. (9988)

N/A

15 wks cold; in grnhse 4 Feb.



16 wks cold; in grnhse 18 Feb. (9764)



23 wks cold; in grnhse 15 Apr. (9961)



17 wks cold; in grnhse 4 Mar (9263)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Calgary' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.

Calgary 2003



12 wks cold; in grnhse 23 Dec. (3182)



17 wks cold; in grnhse 3 Mar. (3733)



14 wks cold; in grnhse 13 Jan. (3395)



19 wks cold; in grnhse 17 Mar. (4023)



16 wks cold; in grnhse 27 Jan. (3453)



21 wks cold; in grnhse 31 Mar. (4798)



16 wks cold; in grnhse 17 Feb(3609)



24 wks cold; in grnhse 21 Apr. (6214)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Calgary' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

Calgary 2004



12 wks cold; in grnhse 15 Dec. (0021)



16 wks cold; in grnhse 23 Feb. (0741)



14 wks cold; in grnhse 5 Jan. (1316)



18 wks cold; in grnhse 8 Mar. (1030)



15 wks cold; in grnhse 19 Jan. (0087)



20 wks cold; in grnhse 22 Mar. (1292)



17 wks cold; in grnhse 2 Feb (0311)



22 wks cold; in grnhse 12 Apr. (1496)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Calgary' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.