

Crème Upstar 2002



14 wks cold; in grnhse 21 Jan. (9508)



19 wks cold; in grnhse 18 Mar. (9708)



15 wks cold; in grnhse 4 Feb. (9624)



21 wks cold; in grnhse 1 Apr. (9985)



16 wks cold; in grnhse 18 Feb. (9812)



23 wks cold; in grnhse 15 Apr. (9953)



17 wks cold; in grnhse 4 Mar (9271)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Crème Upstar' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.

Creme Upstar 2005



17 wks cold; in grnhse 28 Feb. (9922)

N/A

12 wks cold; in grnhse 20 Dec. (xxx)



14 wks cold; in grnhse 10 Jan. (9494)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9590)

N/A

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9769)



23 wks cold; in grnhse 11 Apr. (9641)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Crème Upstar' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.

Crème Upstar 2006



13 wks cold; in grnhse 26 Dec. (0362)

N/A

17 wks cold; in grnhse 27 Feb. (xxx)



14 wks cold; in grnhse 9 Jan. (0549)



19 wks cold; in grnhse 13 Mar. (2428)



15 wks cold; in grnhse 23 Jan. (0773)

N/A

21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1787)



23 wks cold; in grnhse 10 Apr. (3003)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Crème Upstar' tulips. Cold weeks vary between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.