



12 wks cold; in grnhse 23 Dec. (3136)



17 wks cold; in grnhse 3 Mar. (3735)



14 wks cold; in grnhse 13 Jan. (3236)



19 wks cold; in grnhse 17 Mar. (3860)



16 wks cold; in grnhse 27 Jan. (3449)



21 wks cold; in grnhse 31 Mar. (4796)



16 wks cold; in grnhse 17 Feb(3605)



24 wks cold; in grnhse 21 Apr. (6211)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Eastern Pearl' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.





N/A

12 wks cold; in grnhse 20 Dec. (xxx)

17 wks cold; in grnhse 28 Feb. (9868)

N/A

14 wks cold; in grnhse 10 Jan. (xxx)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)

N/A

15 wks cold; in grnhse 25 Jan. (xxx)

N/A

21 wks cold; in grnhse 28 Mar. (xxx)



N/A

16 wks cold; in grnhse 14 Feb (xxx)

23 wks cold; in grnhse 11 Apr. (0256)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Eastern Pearl' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.





13 wks cold; in grnhse 26 Dec. (0261)



17 wks cold; in grnhse 27 Feb. (2105)



14 wks cold; in grnhse 9 Jan. (0436)



19 wks cold; in grnhse 13 Mar. (2389)



15 wks cold; in grnhse 23 Jan. (0680)

16 wks cold; in grnhse 13 Feb (1735)

N/A 21 wks cold; in grnhse 27 Mar. (xxx)



23 wks cold; in grnhse 10 Apr. (2977)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Eastern Pearl' tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.





14 wks cold; in grnhse 2 Jan. (0033)



17 wks cold; in grnhse 26 Feb. (0274)



15 wks cold; in grnhse 15 Jan. (0066)



19 wks cold; in grnhse 12 Mar. (0390)



16 wks cold; in grnhse 29 Jan. (0157)



21 wks cold; in grnhse 26 Mar. (0858)



17 wks cold; in grnhse 12 Feb (0217) 23 wks cold; in grnhse 16 Apr. (xxx) Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Eastern Pearl' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 4-6 days after placing in the greenhouse.