

Fusor 2003



12 wks cold; in grnhse 23 Dec. (3390)



17 wks cold; in grnhse 3 Mar. (3731)



14 wks cold; in grnhse 13 Jan. (3443)



19 wks cold; in grnhse 17 Mar. (4022)



16 wks cold; in grnhse 27 Jan. (3511)



21 wks cold; in grnhse 31 Mar. (xxx)



16 wks cold; in grnhse 17 Feb(3610)



24 wks cold; in grnhse 21 Apr. (6213)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Fusor' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

Fusor 2004



12 wks cold; in grnhse 15 Dec. (0026)



16 wks cold; in grnhse 23 Feb. (0740)



14 wks cold; in grnhse 5 Jan. (1306)



18 wks cold; in grnhse 8 Mar. (1032)



15 wks cold; in grnhse 19 Jan. (0047)



20 wks cold; in grnhse 22 Mar. (1286)



17 wks cold; in grnhse 2 Feb (0316)



22 wks cold; in grnhse 12 Apr. (1485)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Fusor' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.

Fusor 2005



12 wks cold; in grnhse 20 Dec. (9338)



17 wks cold; in grnhse 28 Feb. (9861)



14 wks cold; in grnhse 10 Jan. (9521)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9588)

N/A

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9770)



23 wks cold; in grnhse 11 Apr. (9642)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Fusor' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.