

Lady Margot 2005

N/A  
12 wks cold; in grnhse 20 Dec. (xxx)



17 wks cold; in grnhse 28 Feb. (9867)

N/A  
14 wks cold; in grnhse 10 Jan. (xxx)

N/A  
19 wks cold; in grnhse 14 Mar. (9867)

N/A  
15 wks cold; in grnhse 25 Jan. (xxx)

N/A  
21 wks cold; in grnhse 28 Mar. (xxx)

N/A  
16 wks cold; in grnhse 14 Feb (xxx)



23 wks cold; in grnhse 11 Apr. (0261)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6” ‘Lady Magot’ tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.

Lady Margot 2006

N/A

13 wks cold; in grnhse 26 Dec. (xxx)



17 wks cold; in grnhse 27 Feb. (2134)



14 wks cold; in grnhse 9 Jan. (0562)



19 wks cold; in grnhse 13 Mar. (2409)



15 wks cold; in grnhse 23 Jan. (0775)

N/A

21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1778)



23 wks cold; in grnhse 10 Apr. (2982)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Lady Margot' tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.

Lady Margot 2008



14.5 wks cold; in grnhse 7 Jan. (0006)

N/A

19 wks cold; in grnhse 11 Mar. (xxx)



16 wks cold; in grnhse 22 Jan. (0076)

N/A

21 wks cold; in grnhse 25 Mar. (xxx)



17 wks cold; in grnhse 5 Feb Jan. (0312)



23 wks cold; in grnhse 16 Mar. (0794)

N/A

18 wks cold; in grnhse 26 Feb. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6” ‘Lady Margot’ tulips. Cold duration varies between panels from 14.5-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench (2-7 days after placing in the greenhouse, depending on growth).