

Orange Princess 2002



14 wks cold; in grnhse 21 Jan. (9516)



19 wks cold; in grnhse 18 Mar. (9706)



15 wks cold; in grnhse 4 Feb. (9707)



21 wks cold; in grnhse 1 Apr. (9982)



16 wks cold; in grnhse 18 Feb. (9808)



23 wks cold; in grnhse 15 Apr. (9954)



17 wks cold; in grnhse 4 Mar (9272)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Orange Princess' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.

Orange Princess 2003



12 wks cold; in grnhse 23 Dec. (3458)



17 wks cold; in grnhse 3 Mar. (3765)



14 wks cold; in grnhse 13 Jan. (3510)



19 wks cold; in grnhse 17 Mar. (4028)



16 wks cold; in grnhse 27 Jan. (3514)



21 wks cold; in grnhse 31 Mar. (4801)



16 wks cold; in grnhse 17 Feb(3665)



24 wks cold; in grnhse 21 Apr. (6215)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Orange Princess' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

Orange Princess 2004



12 wks cold; in grnhse 15 Dec. (0078)



16 wks cold; in grnhse 23 Feb. (0754)



14 wks cold; in grnhse 5 Jan. (0016)



18 wks cold; in grnhse 8 Mar. (1062)



15 wks cold; in grnhse 19 Jan. (0181)



20 wks cold; in grnhse 22 Mar. (1296)



17 wks cold; in grnhse 2 Feb (0369)



22 wks cold; in grnhse 12 Apr. (1494)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Orange Princess' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.



Orange Princess 2005



12 wks cold; in grnhse 20 Dec. (9465)



17 wks cold; in grnhse 28 Feb. (9907)



14 wks cold; in grnhse 10 Jan. (9562)

N/A

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9605)

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9789)



23 wks cold; in grnhse 11 Apr. (9645)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Orange Princess' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.