

Pim Fortuyn 2006



13 wks cold; in grnhse 26 Dec. (0252)



17 wks cold; in grnhse 27 Feb. (2133)



14 wks cold; in grnhse 9 Jan. (0418)



19 wks cold; in grnhse 13 Mar. (2367)



15 wks cold; in grnhse 23 Jan. (0686)

N/A

21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1775)



23 wks cold; in grnhse 10 Apr. (3007)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Pim Fortuyn' tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.

Pim Fortuyn 2007



14 wks cold; in grnhse 2 Jan. (0036)



17 wks cold; in grnhse 26 Feb. (0345)



15 wks cold; in grnhse 15 Jan. (0080)



19 wks cold; in grnhse 12 Mar. (0414)



16 wks cold; in grnhse 29 Jan. (0199)



21 wks cold; in grnhse 26 Mar. (1317)



17 wks cold; in grnhse 12 Feb (0239)

N/A

23 wks cold; in grnhse 16 Apr. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Pim Fortuyn' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 4-6 days after placing in the greenhouse.

Pim Fortuyn 2008



14.5 wks cold; in grnhse 7 Jan. (0007)



19 wks cold; in grnhse 11 Mar. (0697)



16 wks cold; in grnhse 22 Jan. (0077)

N/A

21 wks cold; in grnhse 25 Mar. (xxx)



17 wks cold; in grnhse 5 Feb Jan. (0306)



23 wks cold; in grnhse 16 Mar. (0793)

N/A

18 wks cold; in grnhse 26 Feb. (xxx)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Pim Fortuyn' tulips. Cold duration varies between panels from 14.5-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench (2-7 days after placing in the greenhouse, depending on growth).