

Pink Floyd 2010



14 wks cold; in grnhse 4 Jan. (0091)



19 wks cold; in grnhse 12 Mar. (0718)



16 wks cold; in grnhse 21 Jan. (0269)



17 wks cold; in grnhse 5 Feb. (0423)



18 wks cold; in grnhse 1 Mar. (0504)

Effect of cold-weeks and paclobutrazol (Bonzi) drenches on appearance of 6'' 'Pink Floyd' tulips. Cold duration varies between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo, 0.5 and 1 mg/pot Topflor applied as a soil drench (2-7 days after placing in the greenhouse).

Pink Floyd 2011



20 wks cold; in grnhse 29 Mar. (2853)



16 wks cold; in grnhse 25 Jan. (2096)

22 wks cold; in grnhse 12 Apr. (xxx)



17 wks cold; in grnhse 1 Mar. (2438)



18 wks cold; in grnhse 15 Mar. (2721)

Effect of cold-weeks and PGR drenches on appearance of 6" tulip. Cold duration varies between panels from 16-22 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi, 0.5 and 1 mg/pot Topflor applied as a soil drench (2-4 days after placing in the greenhouse). 2011.