

Plaisir 2002



14 wks cold; in grnhse 21 Jan. (9411)



19 wks cold; in grnhse 18 Mar. (9588)



21 wks cold; in grnhse 1 Apr. (9986)



16 wks cold; in grnhse 18 Feb. (9769)



23 wks cold; in grnhse 15 Apr. (9962)



17 wks cold; in grnhse 4 Mar (9270)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Plaisir' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.

Plaisir 2003



12 wks cold; in grnhse 23 Dec. (3152)



17 wks cold; in grnhse 3 Mar. (3734)



14 wks cold; in grnhse 13 Jan. (3239)



19 wks cold; in grnhse 17 Mar. (3861)



16 wks cold; in grnhse 27 Jan. (3448)



21 wks cold; in grnhse 31 Mar. (4512)



16 wks cold; in grnhse 17 Feb(3613)



24 wks cold; in grnhse 21 Apr. (6206)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Plaisir' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

Plaisir 2004

N/A

12 wks cold; in grnhse 15 Dec. (xxx)

N/A

16 wks cold; in grnhse 23 Feb. (xxx)

N/A

14 wks cold; in grnhse 5 Jan. (xxx)

N/A

18 wks cold; in grnhse 8 Mar. (xxx)



15 wks cold; in grnhse 19 Jan. (0008)

N/A

20 wks cold; in grnhse 22 Mar. (xxx)



N/A

17 wks cold; in grnhse 2 Feb (xxx)

22 wks cold; in grnhse 12 Apr. (1478)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Plaisir' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.