

## Seadov 2002



14 wks cold; in grnhse 21 Jan. (9422)



19 wks cold; in grnhse 18 Mar. (9702)



15 wks cold; in grnhse 4 Feb. (9579)



21 wks cold; in grnhse 1 Apr. (9984)



16 wks cold; in grnhse 18 Feb. (9809)



23 wks cold; in grnhse 15 Apr. (9955)



17 wks cold; in grnhse 4 Mar (9264)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Seadove' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.

## Seadov 2003



12 wks cold; in grnhse 23 Dec. (3193)



17 wks cold; in grnhse 3 Mar. (3807)



14 wks cold; in grnhse 13 Jan. (3396)



19 wks cold; in grnhse 17 Mar. (4027)



16 wks cold; in grnhse 27 Jan. (3452)



21 wks cold; in grnhse 31 Mar. (4800)



16 wks cold; in grnhse 17 Feb(3611)



24 wks cold; in grnhse 21 Apr. (6217)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Seadove' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

**Seadov 2004 (cultivar was mixed by mistake!)**



12 wks cold; in grnhse 15 Dec. (0005)

N/A

14 wks cold; in grnhse 5 Jan. (xxx)



15 wks cold; in grnhse 19 Jan. (0048)

N/A

17 wks cold; in grnhse 2 Feb (xxx)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Seadove' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.

N/A

16 wks cold; in grnhse 23 Feb. (xxx)

N/A

18 wks cold; in grnhse 8 Mar. (xxx)



20 wks cold; in grnhse 22 Mar. (1298)



22 wks cold; in grnhse 12 Apr. (1499)