

Strawberry Ice 2005



12 wks cold; in grnhse 20 Dec. (9317)



17 wks cold; in grnhse 28 Feb. (9862)



14 wks cold; in grnhse 10 Jan. (9493)



19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9554)



21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9774)



23 wks cold; in grnhse 11 Apr. (0262)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Strawberry Ice' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.

Strawberry Ice 2006



13 wks cold; in grnhse 26 Dec. (0259)



17 wks cold; in grnhse 27 Feb. (2132)



19 wks cold; in grnhse 13 Mar. (2412)

N/A

14 wks cold; in grnhse 9 Jan. (xxx)



15 wks cold; in grnhse 23 Jan. (0766)

N/A

21 wks cold; in grnhse 27 Mar. (xxx)



16 wks cold; in grnhse 13 Feb (1784)



23 wks cold; in grnhse 10 Apr. (2981)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Strawberry Ice' tulips. Cold duration varies between panels from 13-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse. Experiment 2006-T1.

Strawberry Ice 2011



20 wks cold; in grnhse 29 Mar. (2899)



16 wks cold; in grnhse 25 Jan. (2126)



22 wks cold; in grnhse 12 Apr. (2989)



17 wks cold; in grnhse 1 Mar. (2468)



18 wks cold; in grnhse 15 Mar. (2724)

Effect of cold-weeks and PGR drenches on appearance of 6" tulip. Cold duration varies between panels from 16-22 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi, 0.5 and 1 mg/pot Topflor applied as a soil drench (2-4 days after placing in the greenhouse). 2011.