

Yellow Baby (4" pots) 2003



12 wks cold; in grnhse 23 Dec. (3185)



17 wks cold; in grnhse 3 Mar. (3717)



14 wks cold; in grnhse 13 Jan. (3397)



19 wks cold; in grnhse 17 Mar. (3862)



16 wks cold; in grnhse 27 Jan. (3447)



21 wks cold; in grnhse 31 Mar. (4799)



16 wks cold; in grnhse 17 Feb(3604)



24 wks cold; in grnhse 21 Apr. (6208)

Effect of cold-weeks and Bonzi drenches on appearance of 4" 'Yellow Baby' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.

Yellow Baby (4" pots) 2004



12 wks cold; in grnhse 15 Dec. (0002)



16 wks cold; in grnhse 23 Feb. (0728)



14 wks cold; in grnhse 5 Jan. (1265)



18 wks cold; in grnhse 8 Mar. (1011)



15 wks cold; in grnhse 19 Jan. (1519)



20 wks cold; in grnhse 22 Mar. (1249)



17 wks cold; in grnhse 2 Feb (0228)



22 wks cold; in grnhse 12 Apr. (1481)

Effect of cold-weeks and Bonzi drenches on appearance of 4" 'Yellow Baby' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.

Yellow Baby 2005 (6" pots)



12 wks cold; in grnhse 20 Dec. (9319)



17 wks cold; in grnhse 28 Feb. (9864)



14 wks cold; in grnhse 10 Jan. (9469)

19 wks cold; in grnhse 14 Mar. (xxx)



15 wks cold; in grnhse 25 Jan. (9557)

21 wks cold; in grnhse 28 Mar. (xxx)



16 wks cold; in grnhse 14 Feb (9761)



23 wks cold; in grnhse 11 Apr. (0255)

Effect of cold-weeks and paclobutrazol (Piccolo) drenches on appearance of 6" 'Yellow Baby' tulips. Cold duration varies between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Piccolo applied as a soil drench 1-3 days after placing in the greenhouse.