

Yellow Flight 2002



14 wks cold; in grnhse 21 Jan. (9514)



19 wks cold; in grnhse 18 Mar. (9836)



15 wks cold; in grnhse 4 Feb. (9710)



21 wks cold; in grnhse 1 Apr. (9980)



16 wks cold; in grnhse 18 Feb. (9829)



23 wks cold; in grnhse 15 Apr. (9958)

N/A 17 wks cold; in grnhse 4 Mar (9265)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Yellow Flight' tulips. Cold weeks vary between panels from 14-23 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2002.



Yellow Flight 2003



12 wks cold; in grnhse 23 Dec. (3442)



17 wks cold; in grnhse 3 Mar. (3808)



14 wks cold; in grnhse 13 Jan. (3445)



19 wks cold; in grnhse 17 Mar. (4048)



16 wks cold; in grnhse 27 Jan. (3512)



21 wks cold; in grnhse 31 Mar. (4792)



16 wks cold; in grnhse 17 Feb(3703)



24 wks cold; in grnhse 21 Apr. (6219)

Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Yellow Flight' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2003.



Yellow Flight 2004



12 wks cold; in grnhse 15 Dec. (1276)



16 wks cold; in grnhse 23 Feb. (0785)



14 wks cold; in grnhse 5 Jan. (0013)

N/A 18 wks cold; in grnhse 8 Mar. (xxx)



15 wks cold; in grnhse 19 Jan. (xxx) 20 wks cold; in grnhse 22 Mar. (1321)



N/A

17 wks cold; in grnhse 2 Feb (0163)



22 wks cold; in grnhse 12 Apr. (1501) Effect of cold-weeks and Bonzi drenches on appearance of 6" 'Yellow Flight' tulips. Cold weeks vary between panels from 12-24 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi applied as a soil drench 1-2 days after placing in the greenhouse. 2004.