

Barbados Fresh Cut Tulips 2006



13.5 wks cold; in grnhse 2 Jan. (0366)



19 wks cold; in grnhse 6 Mar. (2331)

N/A

15 wks cold; in grnhse 16 Jan. (xxx)



21 wks cold; in grnhse 20 Mar. (2467)



16 wks cold; in grnhse 30 Jan. (1567)



23 wks cold; in grnhse 3 Apr. (2965)



17 wks cold; in grnhse 20 Feb (2030)

Effect of cold-weeks on overall appearance of 'Barbados' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13.5-23 weeks. 15 bulbs were planted into 10" (30 cm) container with MetroMix 360. Experiment 2006-T2.

Barbados Fresh Cut Tulips 2007

N/A

14 wks cold; in grnhse 9 Jan. (xxx)

19 wks cold; in grnhse 5 Mar. (xxx)



15 wks cold; in grnhse 22 Jan. (xxx)

21 wks cold; in grnhse 19 Mar. (0854)



16 wks cold; in grnhse 5 Feb. (xxx)

22 wks cold; in grnhse 2 Apr. (1371)

N/A

17 wks cold; in grnhse 19 Feb (xxx)

Effect of cold-weeks on overall appearance of 'Barbados' fresh cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13.5-23 weeks. 15 bulbs were planted into 10" (30 cm) container with MetroMix 360. Experiment 2007-T2.

Barbados Fresh Cut Tulips 2008



15 wks cold; in grnhse 7 Jan. (0091)

N/A

19 wks cold; in grnhse 4 Mar. (xxx)



16 wks cold; in grnhse 16 Jan. (0119)



Barbados flower (0135)



Barbados bud (0123)

N/A

17 wks cold; in grnhse 5 Feb. (xxx)

N/A

18 wks cold; in grnhse 19 Feb (xxx)

Effect of cold-weeks on overall appearance of 'Barbados' fresh cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 15-23 weeks. 15 bulbs were planted into 10" (30 cm) container with MetroMix 360. Experiment 2008-T2.