Bel Air Fresh Cut Tulips 2005

N/A
14 wks cold; in grnhse 3 Jan. (n/a)

N/A
15 wks cold; in grnhse 17 Jan. (n/a)

N/A
16 wks cold; in grnhse 31 Jan. (n/a)

N/A
17 wks cold; in grnhse 21 Feb (n/a)

N/A
19 wks cold; in grnhse 7 Mar. (n/a)

21 wks cold; in grnhse 21 Mar. (0071)

N/A
23 wks cold; in grnhse 4 Apr. (n/a)

Effect of cold-weeks on overall appearance of 'Bell Air' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 14-23 weeks. 15 bulbs were planted into 12" (30 cm) container with MetroMix 360. Experiment 2005-T2.

Bel Air Fresh Cut Tulips 2006

13.5 wks cold; in grnhse 2 Jan. (0347)

19 wks cold; in grnhse 6 Mar. (2213)

15 wks cold; in grnhse 16 Jan. (0402)

21 wks cold; in grnhse 20 Mar. (2451)

N/A

16 wks cold; in grnhse 30 Jan. (xxx)

N/A

23 wks cold; in grnhse 3 Apr. (xxx)

17 wks cold; in grnhse 20 Feb (1939)

Effect of cold-weeks on overall appearance of 'Bel Air' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13.5-23 weeks. 15 bulbs were planted into 10" (30 cm) container with MetroMix 360. Experiment 2006-T2.

Bel Air Fresh Cut Tulips 2007

N/A

14 wks cold; in grnhse 9 Jan. (xxx)

19 wks cold; in grnhse 5 Mar. (xxx)

15 wks cold; in grnhse 22 Jan. (xxx)

21 wks cold; in grnhse 19 Mar. (0853)

16 wks cold; in grnhse 5 Feb. (xxx)

22 wks cold; in grnhse 2 Apr. (1361)

N/A

17 wks cold; in grnhse 19 Feb (xxx)

Effect of cold-weeks on overall appearance of 'Bel Air' fresh cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13.5-23 weeks. 15 bulbs were planted into 10" (30 cm) container with MetroMix 360. Experiment 2007-T2.