

Cummins Fresh Cut Tulips 2005

N/A

14 wks cold; in grnhse 3 Jan. (n/a)

N/A

19 wks cold; in grnhse 7 Mar. (n/a)

N/A

15 wks cold; in grnhse 17 Jan. (n/a)

21 wks cold; in grnhse 21 Mar. (n/a)



N/A

16 wks cold; in grnhse 31 Jan. (n/a)

23 wks cold; in grnhse 4 Apr. (0252)

N/A

17 wks cold; in grnhse 21 Feb (n/a)

Effect of cold-weeks on overall appearance of 'Cummins' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 14-23 weeks. 15 bulbs were planted into 12" (30 cm) container with MetroMix 360. Experiment 2005-T2.

Cummins Fresh Cut Tulips 2006



13.5 wks cold; in grnhse 2 Jan. (0369)

N/A

19 wks cold; in grnhse 6 Mar. (xxx)



15 wks cold; in grnhse 16 Jan. (1269)



21 wks cold; in grnhse 20 Mar. (2493)



16 wks cold; in grnhse 30 Jan. (1908)



23 wks cold; in grnhse 3 Apr. (3008)

N/A

17 wks cold; in grnhse 20 Feb (xxx)

Effect of cold-weeks on overall appearance of 'Cummings' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13.5-23 weeks. 15 bulbs were planted into 10" (30 cm) container with MetroMix 360. Experiment 2006-T2.

Cummins Fresh Cut Tulips 2009

15 wks cold; in grnhse 6 Jan. (xxx)

19 wks cold; in grnhse 3 March (xxx)



16 wks cold; in grnhse 13 Jan. (xxx)

21 wks cold; in grnhse 17 March (2048)



17 wks cold; in grnhse 3 Feb. (xxx)

23 wks cold; in grnhse 7 April (2124)



18 wks cold; in grnhse 17 Feb. (1656)

Effect of cold-weeks on overall appearance of 'Cummins' fresh cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 15-23 weeks. 15 bulbs were planted into 10" (30 cm) container with Sunshine LC-8 mix. Experiment 2009-T2.