

### Pretty Woman Fresh Cut Tulips 2003



14 wks cold; in grnhse 6 Jan. (3227)



19 wks cold; in grnhse 10 Mar. (3775)



15 wks cold; in grnhse 20 Jan. (3412)



20 wks cold; in grnhse 24 Mar. (4050)



16 wks cold; in grnhse 10 Feb. (3575)



22 wks cold; in grnhse 7 Apr. (4789)



17 wks cold; in grnhse 24 Feb. (3670)

Effect of cold-weeks on overall appearance of 'Pretty Woman' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 14-22 weeks. 15 bulbs were planted into a 12" (30 cm) container with MetroMix 360. Experiment 2003-T2.

## Pretty Woman Fresh Cut Tulips 2004



13 wks cold; in grnhse 22 Dec. (0025)



19 wks cold; in grnhse 1 Mar. (0789)



14 wks cold; in grnhse 5 Jan. (1269)



21 wks cold; in grnhse 15 Mar. (1076)



16 wks cold; in grnhse 19 Jan. (1530)



22 wks cold; in grnhse 5 Apr. (1404)



18 wks cold; in grnhse 9 Feb (0437)

Effect of cold-weeks on overall appearance of 'Pretty Woman' cut tulips. Bulbs were held at 17C until planting. Cold weeks vary between panels from 13-22 weeks. 15 bulbs were planted into a 12" (30 cm) container with MetroMix 360. Experiment 2004-T2.

## Pretty Woman 2011



21 wks cold; in grnhse 22 Mar. (2765)



15 wks cold; in grnhse 18 Jan. (2036)



22 wks cold; in grnhse 19 Apr. (3012)



18wks cold; in grnhse 22 Feb. (2331)



19 wks cold; in grnhse 8 Mar. (2536)

Effect of cold-weeks and PGR drenches on appearance of 6" tulip. Cold duration varies between panels from 16-22 weeks. In each panel, L to R: Control, 1 and 2 mg Bonzi, 0.5 and 1 mg/pot Topflor applied as a soil drench (2-4 days after placing in the greenhouse). 2011.